SHA61.1-490 1V-3-13-1 9-1-80					W	MARYLAND STATE HIGHWAY ADMINISTRATION CULVERT ANALYSIS	ID STA	TE HI	D STATE HIGHWAY ADMII CULVERT ANALYSIS	ADMIN	ISTRA	NOI			SHEET.		0F
DESIGNED BY- CHECKED BY-					∓ ٽ	CONTRACT	T.							[.]			
HYDROLOGIC INFORMATION	NFORM	ATION			٠									כחרא	CULVERT STATION	NOIL	
SCS METHOD	THOD			Œ	ATION	RATIONAL METHOD	400		SUMP PA	WEMEN	SUMP PAVEMENT EDGE ELEV. :	ELEV. :		SUMP	SUMP PGL ELEV :	֚֝֞֞֞֜֞֜֞֜֞֜֞֜֞֜֞֜֞֜֜֞֝֜֜֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓	
AREA	AC.		SM.	AREA - Cw =		AC.			· · · · · · · · · · · · · · · · · · ·	3	-						
RCN. =				ူ ့		MIN.	MIN. "/HR.	•		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1							~] -
tc = MIN. =	1	HRS.		io. 100.		'' HR.	œ œ		INVER	INVERT ELEV=			, S	INVERT ELEV:	LEVE		· .
ino	CULVERT DIMENSION(S)-	MENS	(S) NOI		Z		Ŧ.					ר פ ו	6 F.				
CULVERT TYPE	0						HEAD	WATER	HEADWATER COMPUTATION	ATION					CONTROLLING	LLING	
B ENTRANCE TYPE	CFS	INLET C	HW HW	ž	٥	0c+0	o ≱	UTLET P	OUTLET CONTROL	>	٧٤,	3	5	37	1000	SURF	COMMENTS
						2			•		1, 38					ברבי	
٠																	
FORMUL AE:									REMARKS:	RKS:							
OUTLET CONTROL:	LROL:		I	HW= ho+H-LSo	H-LS	0									•		
REFERANCE: PAGES 53 TO 54	GES 53	T0 54	=	H=SfL+(I+Ke)(\frac{\frac{4}{2}}{2g})	(I+Ke)	(² 4 ²) 2g)											

										 						 _
0F		10.1-40 40.1-150											-			
SHEET		0-10	REMARKS						,		-					
	i	RAINFALL FACTORS DURATION:	NLET	ON	\dagger											
	i	INFALL	SYPASS 1	CA	\top											
	í	XX	STREET SPREAD PICKUP BYPASS INLET	%												
2			SPREAD	FT.												
MARYLAND STATE HIGHWAY ADMINISTRATION INLET SPACING			STREET	GRADE							-	2,				
MINIST			CHART	NO.												
WAY ADI ING			CROSS	SLOPE												
HIGHV	0.		INLET	TYPE												
STATE	ACT N		92	CFS												
LAND	CONTRACT NO.	PROJECT	12 if	Į.												
MARY	0		÷°	M.	1											
			Ĕ	₹ S												
			BYPASS	8	_											
2			CA		-											
-3-13-	-),	BY	U	8	1											
SHA-61.1-491 9-1-80 IV-3-13-2	DESIGNED BY-	CHECKED BY-		ACRES	_											
SHA- 9-1-	DESI	CHE	INLET	Š.												

										_					_				_			
SHEET OF		FACTORS:		Remarks																		
		FACTORS:		Capac Full cfs																		
				Time In Pipe Min.																		
		RAINFALL		Vo Vel. ft./sec.												7						
TION			60	Length Ft. f																		
MARYLAND STATE HIGHWAY ADMINISTRATION			Pipe	So Slope L																		
DWIN	NSIGN			Mann-S ing's Coef.		1																
WAY A	DESIGN			Type II		\top																
HIGH	SEWER			Size T		\dashv																
ATE				o s st		\dashv		\dashv														\neg
D ST	STORM		#	iif Rainfall intens in./hr.		+		1													1	
YLAN	S	CT	Runoff	tc Time Ra Conc. int Min. in		\dashv	+	\dashv													1	\neg
MAR		CONTRACT	Year		•	\dashv	+	\dashv		\dashv	-									\dashv		\dashv
		8 F		Z A ECA		+	+		-	\dashv									\dashv	\dashv		\dashv
				-		+	\dashv							,			\dashv	\dashv	\dashv		\dashv	\dashv
			Area	ff CA	-	+	\dashv		-	-							\dashv	\dashv	-	-	\dashv	\dashv
			outing	a Runoff is Coef.	_	+	+	+		-	\dashv	\dashv			\dashv				\dashv		-	\dashv
1V-3-13-3			Contributing	A Area (+	4	\dashv	-	*											-	\dashv
49.2	Š	.		C Area (##)		\dashv	1	-			-			•		_					-	
SHA-6M-492 9-1-80	DESIGNED BY.	ECKED	Structure	o T	_	+	-	\dashv				-	-	-			-			-	\dashv	
SHA 9-1	DES	HS .	Str	From																		

			3-1	13-4										OMINISTRATION SHEET_OF
DESI	GNED CKED	BY:						NTRAC						TORM SEWERS DATE
			TOR_		_		TI	LE_			,			#FROM FORM SHA-61.1-420
Struc	ture	_	Year	Runoff					Pi	pe				Hydraulic Gradient
rom	То	ΣCA		Roinfall intens	9	Size In.	n # Mann- ing s Coet	Slope	Siops	V _f Vel f1./se	Length Ft.	d _n Norma Depti ft	КЬ	Desciption of Loss Elevation
		*	*	in/hr.	Lis	*	Coet	₩ /*	<u>"</u>	11.750	-	"	\vdash	
				 							_			
												_		
												_		
												ļ		
\dashv			_									-		
\dashv				-							-	-		
\dashv							\vdash				-	-		
\dashv							\vdash					-		
-				\vdash			\vdash			-	-	-		
\dashv										_				
_														,
\neg														
\neg														
\neg	-													
_														
-														
_														
\dashv														
\dashv														
\dashv												-		
\dashv									-					
\dashv		-												
+														
\dashv	-													·
+				\vdash										
\dashv														
\dashv														
\forall														
\dashv		\neg												